





Aligator® Classic





Classic ogee style gutter offers exceptional value.

Classic is a domestic size ogee, one of the most competitively priced metal gutters on the market and ideal for community housing or local authority projects.

Designed with more conventional external unions, Classic can be installed with either circular or square downpipe.



Marine Gate apartments, Southport
Aligator® Classic gutter

Aligator® Classic 16:17

Aligator® Classic gutter



The cost effective aluminium gutter

Made from high tensile aluminium, Classic is a decorative ogee gutter with all the benefits of other aluminium systems but at a substantially lower price.

Relative price level of Classic compared with other products

PVCu

Alutec Classic

Standard Aluminium

Even when compared with plastic gutter, Classic is good value. It also out performs aluminium gutters which are roll formed on site, such systems being completely reliant on the skill of the installer.

Classic is an aluminium gutter with a quality assured polyester powder coated finish:

- **Longevity**, aluminium and polyester powder coatings have a proven long life
- **The patented Aligator® jointing method** – a no-bolt joint
- **Can be installed with Vortex®** – a low cost circular aluminium downpipe
- **Available in three finishes ex-stock*** see page 12:13.

* Vortex circular downpipe & traditional circular downpipe are available in all finishes in the standard lead time (within 15 working days).




Product selector

Aligator® Classic

Ogee style profile, jointed with external unions. Fixed to fascia using external fascia brackets.

| Size | Downpipes | Composition |
|------------|---|--|
| 120 x 75mm | Classic Square 62mm Circular 63mm Vortex® Circular 63mm | Formed 1.2mm thick high tensile aluminium |



see page 22

Classic square downpipe

For use with Classic gutter only. Joints are made using a separate socket, which is available with or without ears.

| Size | Composition |
|------|--|
| 62mm | Formed 1.3mm high tensile aluminium |



see page 23

Traditional circular

Heavy grade pipe. Factory fitted die cast sockets. Available with eared socket and/or separate pipe clip.

| Size | Composition |
|------|---|
| 63mm | Cast/Extruded 1.63mm thick aluminium |



see page 58

Vortex® circular downpipe

Integrally formed pipe socket. Anchored with pipe clips. Unrestricted bore.

| Size | Composition |
|------|------------------------------------|
| 63mm | Extruded 1.63mm thick aluminium |



see page 59



Marine Gate apartments,
Southport – Aligator® Classic gutter



Local authority – social housing

Moorlands Road, Splott, Cardiff

A development of one and two bedroom apartments which brought new life to a former derelict site.

Product: Aligator® Classic gutter and 62mm Classic square downpipe in special colour. Base section of downpipe in 72mm square vandal resistant pipe.

Client: Cardiff Community Housing Association

Contractor: P T Willis



New Build – private housing

Worthington Park, Standish, Lancashire

A new community of homes incorporating 2, 3, 4 and 5 bedroom properties. The development benefits from being in a semi-rural location with a river running through it and a lake. It is adjacent to a conservation area.

Product: Aligator® Classic gutter and 62mm Classic square downpipe in black.

Developer: Morris Homes

Contractor: MB Heating



Local authority – Education

Hollytrees Primary School,
Brentwood, Essex

Opened in September 2003, Hollytrees school has fourteen light and airy classrooms with views towards South Weald Park.

Product: Aligator® Classic gutter
and 63mm circular downpipe
in black.


Client: Essex County Council

Contractor: Specialised Fixings

Aligator® Classic 20:21




ALIGATOR® SNAP FIT CLASSIC 120 X 75MM OGEE STYLE GUTTER AND FITTINGS



Gutter


| Code | Nominal Length (m) | A | B |
|--------|--------------------|----|-----|
| GK 413 | 3 | 75 | 120 |



Running outlet

| Code | A | B | C | Fascia to Outlet Centre |
|--------|-----|-----|----|-------------------------|
| GK 421 | 220 | 137 | 75 | 58 |


Suitable for both 62mm square & 63mm circular downpipe



Union

| Code | A | B | C |
|--------|----|-----|----|
| GK 420 | 82 | 137 | 75 |


External



Stopend outlet


| Code | A | B |
|-------------------|-----|----|
| GK 428 Left hand | 190 | 75 |
| GK 429 Right hand | 190 | 75 |

Suitable for both 62mm square & 63mm circular downpipe




External fascia bracket

| Code | A | B | C |
|--------|----|-----|----|
| GK 480 | 98 | 146 | 60 |




External stopend

| Code | A |
|-------------------|----|
| GK 450 Left hand | 35 |
| GK 455 Right hand | 35 |



Internal angle


| Code | Angle | A |
|--------|--------------|-----|
| GK 430 | 90° | 183 |
| GK 435 | 135° | 100 |
| GK 439 | Non standard | |



Adjustable Side rafter arm


| Code | A | B | C | D |
|-------|-----|-----|----|----|
| AC 78 | 200 | 120 | 23 | 23 |

Black zinc plated steel. Use in conjunction with GK 480 fascia brackets.



External angle

| Code | Angle | A |
|--------|--------------|----|
| GK 431 | 90° | 45 |
| GK 436 | 135° | 45 |
| GK 439 | Non standard | |



Adjustable Top rafter arm

| Code | A | B | C |
|-------|-----|-----|----|
| AC 77 | 200 | 120 | 23 |

Black zinc plated steel. Use in conjunction with GK 480 fascia brackets.

Leafguard


| Code | A |
|--------|------|
| SL 101 | 1220 |

Mill finish

All sizes are in mm. For colour range see page 13. Available in white, black and Heritage black ex-stock. Add suffix 'W', 'B' or 'H' to product code. Code should be prefixed by 'X' when other colours required. Not available in mill finish.




CLASSIC 62MM SQUARE DOWNPIPE AND FITTINGS
For use with Classic gutter system only.




Pipe

| Code | Nominal Length (m) | A |
|--------|--------------------|----|
| RK 313 | 3 | 62 |




Shoe

| Code | Angle | A | B |
|--------|-------|-----|----|
| RK 350 | 120° | 129 | 92 |




Pipe socket

| Code | | A | B | C | D |
|----------|----------|----|----|----|-----|
| RK 320 | Eared | 86 | 40 | 97 | 119 |
| RK 320NE | Un-eared | 86 | 40 | | |




Access pipe

| Code | A | B | C |
|--------|-----|----|-----|
| RK 360 | 210 | 50 | 120 |




Eaves offset bend

| Code | Angle | A | B |
|--------|--------|----|----|
| RK 332 | 112.5° | 35 | 45 |




One piece pipe clip

| Code | A | B |
|--------|----|----|
| RK 380 | 95 | 36 |




Bend

| Code | Angle | A | B |
|--------|-------|-----|-----|
| RK 330 | 92.5° | 105 | 115 |



Wall offset

| Code | Angle | A | B | C | D |
|---------|-------|----|----|----|----|
| RK 3902 | 135° | 95 | 70 | 50 | 50 |



Branch

| Code | Angle | A | B |
|--------|--------|-----|----|
| RK 342 | 112.5° | 165 | 70 |

All sizes are in mm. For colour range see page 13. Available in white, black and Heritage black ex-stock. Add suffix 'W', 'B' or 'H' to product code. Code should be prefixed by 'X' when other colours required. Not available in mill finish.